

Supporting Information

Incorporation of *gem*-Difluorocycloalkyl Substituents into Heterocycles via the Levin’s “Nitrogen Deletion” Strategy

S. M. Holovach,^{1,2} K. P. Melnykov,^{2,3} M. S. Poluektova,^{2,4} O. B. Rozhenko,^{1,3} O. O. Grygorenko^{2,3*}

¹ Institute of Organic Chemistry of the National Academy of Sciences of Ukraine, 5 Academician Kukhar str., 02660 Kyiv, Ukraine

² Enamine Ltd., 78 Winston Churchill str., 02094 Kyiv, Ukraine


³ Taras Shevchenko National University of Kyiv, 60 Volodymyrska str., 01033 Kyiv, Ukraine

⁴ National Technical University of Ukraine «Igor Sikorsky Kyiv Polytechnic Institute», 37 Peremohy Ave., 03056 Kyiv, Ukraine


Table of contents

| | |
|---|----|
| 6-((3,3-Difluorocyclobutyl)methyl)quinoxaline (4{1,1}) ^1H NMR (600 MHz, DMSO- d_6)..... | 3 |
| 6-((3,3-Difluorocyclobutyl)methyl)quinoxaline (4{1,1}) $^{13}\text{C}\{^1\text{H}\}$ NMR (151 MHz, DMSO- d_6)..... | 4 |
| 6-((3,3-Difluorocyclobutyl)methyl)quinoxaline (4{1,1}) $^{19}\text{F}\{^1\text{H}\}$ NMR (376 MHz, DMSO- d_6)..... | 5 |
| 6-(2-(3,3-Difluorocyclobutyl)ethyl)quinoxaline (4{1,2}) ^1H NMR (600 MHz, DMSO- d_6)..... | 6 |
| 6-(2-(3,3-Difluorocyclobutyl)ethyl)quinoxaline (4{1,2}) $^{13}\text{C}\{^1\text{H}\}$ NMR (151 MHz, DMSO- d_6)..... | 7 |
| 6-(2-(3,3-Difluorocyclobutyl)ethyl)quinoxaline (4{1,2}) $^{19}\text{F}\{^1\text{H}\}$ NMR (376 MHz, DMSO- d_6)..... | 8 |
| 6-(2-(2,2-Difluorocyclobutyl)ethyl)quinoxaline (4{1,3}) ^1H NMR (600 MHz, DMSO- d_6)..... | 9 |
| 6-(2-(2,2-Difluorocyclobutyl)ethyl)quinoxaline (4{1,3}) $^{13}\text{C}\{^1\text{H}\}$ NMR (151 MHz, DMSO- d_6)..... | 10 |
| 6-(2-(2,2-Difluorocyclobutyl)ethyl)quinoxaline (4{1,3}) $^{19}\text{F}\{^1\text{H}\}$ NMR (376 MHz, DMSO- d_6)..... | 11 |
| 6-(2-(2,2-Difluorocyclopentyl)ethyl)quinoxaline (4{1,5}) ^1H NMR (600 MHz, DMSO- d_6)..... | 12 |
| 6-(2-(2,2-Difluorocyclopentyl)ethyl)quinoxaline (4{1,5}) $^{13}\text{C}\{^1\text{H}\}$ NMR (151 MHz, DMSO- d_6)..... | 13 |
| 6-(2-(2,2-Difluorocyclopentyl)ethyl)quinoxaline (4{1,5}) $^{19}\text{F}\{^1\text{H}\}$ NMR (376 MHz, DMSO- d_6)..... | 14 |
| 6-((3,3-Difluorocyclohexyl)methyl)quinoxaline (4{1,6}) ^1H NMR (600 MHz, DMSO- d_6) | 15 |
| 6-((3,3-Difluorocyclohexyl)methyl)quinoxaline (4{1,6}) $^{13}\text{C}\{^1\text{H}\}$ NMR (151 MHz, DMSO- d_6) | 16 |
| 6-((3,3-Difluorocyclohexyl)methyl)quinoxaline (4{1,6}) $^{19}\text{F}\{^1\text{H}\}$ NMR (376 MHz, DMSO- d_6)..... | 17 |
| 6-((4,4-Difluorocyclohexyl)methyl)quinoxaline (4{1,7}) ^1H NMR (600 MHz, DMSO- d_6) | 18 |
| 6-((4,4-Difluorocyclohexyl)methyl)quinoxaline (4{1,7}) $^{13}\text{C}\{^1\text{H}\}$ NMR (151 MHz, DMSO- d_6) | 19 |
| 6-((4,4-Difluorocyclohexyl)methyl)quinoxaline (4{1,7}) $^{19}\text{F}\{^1\text{H}\}$ NMR (376 MHz, DMSO- d_6)..... | 20 |
| 6-(2-(4,4-Difluorocyclohexyl)ethyl)quinoxaline (4{1,8}) ^1H NMR (600 MHz, DMSO- d_6) | 21 |
| 6-(2-(4,4-Difluorocyclohexyl)ethyl)quinoxaline (4{1,8}) $^{13}\text{C}\{^1\text{H}\}$ NMR (151 MHz, DMSO- d_6) | 22 |
| 6-(2-(4,4-Difluorocyclohexyl)ethyl)quinoxaline (4{1,8}) $^{19}\text{F}\{^1\text{H}\}$ NMR (376 MHz, DMSO- d_6)..... | 23 |
| 2-Cyclopropyl-5-(2-(4,4-difluorocyclohexyl)ethyl)thiazole (4{2,8}) ^1H NMR (600 MHz, DMSO- d_6) | 24 |



| | |
|--|----|
| 2-Cyclopropyl-5-(2-(4,4-difluorocyclohexyl)ethyl)thiazole (4{2,8}) $^{13}\text{C}\{\text{H}\}$ NMR (151 MHz, DMSO- <i>d</i> ₆) | 25 |
| 2-Cyclopropyl-5-(2-(4,4-difluorocyclohexyl)ethyl)thiazole (4{2,8}) $^{19}\text{F}\{\text{H}\}$ NMR (376 MHz, DMSO- <i>d</i> ₆) | 26 |
| 3-((3,3-Difluorocyclobutyl)methyl)quinoline (4{4,1}) ^1H NMR (600 MHz, DMSO- <i>d</i> ₆) | 27 |
| 3-((3,3-Difluorocyclobutyl)methyl)quinoline (4{4,1}) $^{13}\text{C}\{\text{H}\}$ NMR (151 MHz, DMSO- <i>d</i> ₆) | 28 |
| 3-((3,3-Difluorocyclobutyl)methyl)quinoline (4{4,1}) $^{19}\text{F}\{\text{H}\}$ NMR (376 MHz, DMSO- <i>d</i> ₆)..... | 29 |
| 3-(2-(4,4-Difluorocyclohexyl)ethyl)quinoline (4{4,8}) ^1H NMR (600 MHz, DMSO- <i>d</i> ₆) | 30 |
| 3-(2-(4,4-Difluorocyclohexyl)ethyl)quinoline (4{4,8}) $^{13}\text{C}\{\text{H}\}$ NMR (151 MHz, DMSO- <i>d</i> ₆) | 31 |
| 3-(2-(4,4-Difluorocyclohexyl)ethyl)quinoline (4{4,8}) $^{19}\text{F}\{\text{H}\}$ NMR (376 MHz, DMSO- <i>d</i> ₆) | 32 |
| 5-((3,3-Difluorocyclobutyl)methyl)-1-methyl-1 <i>H</i> -1,2,3-triazole (4{6,1}) ^1H NMR (600 MHz, DMSO- <i>d</i> ₆) | 33 |
| 5-((3,3-Difluorocyclobutyl)methyl)-1-methyl-1 <i>H</i> -1,2,3-triazole (4{6,1}) $^{13}\text{C}\{\text{H}\}$ NMR (151 MHz, DMSO- <i>d</i> ₆) | 34 |
| 5-((3,3-Difluorocyclobutyl)methyl)-1-methyl-1 <i>H</i> -1,2,3-triazole (4{6,1}) $^{19}\text{F}\{\text{H}\}$ NMR (376 MHz, DMSO- <i>d</i> ₆)..... | 35 |
| 5-(2-(4,4-Difluorocyclohexyl)ethyl)-1-methyl-1 <i>H</i> -1,2,3-triazole (4{6,8}) ^1H NMR (600 MHz, DMSO- <i>d</i> ₆) | 36 |
| 5-(2-(4,4-Difluorocyclohexyl)ethyl)-1-methyl-1 <i>H</i> -1,2,3-triazole (4{6,8}) $^{13}\text{C}\{\text{H}\}$ NMR (151 MHz, DMSO- <i>d</i> ₆) | 37 |
| 5-(2-(4,4-Difluorocyclohexyl)ethyl)-1-methyl-1 <i>H</i> -1,2,3-triazole (4{6,8}) $^{19}\text{F}\{\text{H}\}$ NMR (376 MHz, DMSO- <i>d</i> ₆) | 38 |




6-((3,3-Difluorocyclobutyl)methyl)quinoxaline (4{1,1}) ¹H NMR (600 MHz, DMSO-*d*₆)




6-((3,3-Difluorocyclobutyl)methyl)quinoxaline (4{1,I}) $^{13}\text{C}\{^1\text{H}\}$ NMR (151 MHz, $\text{DMSO}-d_6$)



6-((3,3-Difluorocyclobutyl)methyl)quinoxaline (4{1,I}) $^{19}\text{F}\{^1\text{H}\}$ NMR (376 MHz, DMSO-*d*6)




6-(2-(3,3-Difluorocyclobutyl)ethyl)quinoxaline (4{1,2}) ^1H NMR (600 MHz, DMSO-*d*₆)




6-(2-(3,3-Difluorocyclobutyl)ethyl)quinoxaline (4{1,2}) $^{13}\text{C}\{^1\text{H}\}$ NMR (151 MHz, DMSO-*d*₆)





6-(2-(3,3-Difluorocyclobutyl)ethyl)quinoxaline (4{1,2}) $^{19}\text{F}\{^1\text{H}\}$ NMR (376 MHz, $\text{DMSO}-d_6$)




6-(2-(2,2-Difluorocyclobutyl)ethyl)quinoxaline (4{1,3}) ^1H NMR (600 MHz, $\text{DMSO}-d_6$)




6-(2-(2,2-Difluorocyclobutyl)ethyl)quinoxaline (4{1,3}) $^{13}\text{C}\{^1\text{H}\}$ NMR (151 MHz, $\text{DMSO-}d_6$)





6-(2,2-Difluorocyclobutyl)ethylquinoxaline (4{1,3}) $^{19}\text{F}\{^1\text{H}\}$ NMR (376 MHz, DMSO-*d*6)




6-(2-(2,2-Difluorocyclopentyl)ethyl)quinoxaline (4{1,5}) ¹H NMR (600 MHz, DMSO-*d*₆)




6-(2-(2,2-Difluorocyclopentyl)ethyl)quinoxaline (4{1,5}) $^{13}\text{C}\{{}^1\text{H}\}$ NMR (151 MHz, DMSO-*d*6)





6-(2-(2,2-Difluorocyclopentyl)ethyl)quinoxaline (4{1,5}) $^{19}\text{F}\{^1\text{H}\}$ NMR (376 MHz, $\text{DMSO}-d_6$)




6-((3,3-Difluorocyclohexyl)methyl)quinoxaline (4{1,6}) ^1H NMR (600 MHz, DMSO-*d*6)




6-((3,3-Difluorocyclohexyl)methyl)quinoxaline (4{1,6}) $^{13}\text{C}\{^1\text{H}\}$ NMR (151 MHz, DMSO-*d*6)





6-((3,3-Difluorocyclohexyl)methyl)quinoxaline (4{1,6}) $^{19}\text{F}\{^1\text{H}\}$ NMR (376 MHz, $\text{DMSO}-d_6$)




6-((4,4-Difluorocyclohexyl)methyl)quinoxaline (4{1,7}) ^1H NMR (600 MHz, DMSO-*d*₆)




6-((4,4-Difluorocyclohexyl)methyl)quinoxaline (4{1,7}) $^{13}\text{C}\{^1\text{H}\}$ NMR (151 MHz, $\text{DMSO}-d_6$)




6-((4,4-Difluorocyclohexyl)methyl)quinoxaline (4{1,7}) $^{19}\text{F}\{{}^1\text{H}\}$ NMR (376 MHz, DMSO-*d*6)




6-(2-(4,4-Difluorocyclohexyl)ethyl)quinoxaline (4{1,8}) ¹H NMR (600 MHz, DMSO-d₆)




6-(2-(4,4-Difluorocyclohexyl)ethyl)quinoxaline (4{1,8}) $^{13}\text{C}\{^1\text{H}\}$ NMR (151 MHz, DMSO-*d*6)




6-(2-(4,4-Difluorocyclohexyl)ethyl)quinoxaline (4{1,8}) $^{19}\text{F}\{^1\text{H}\}$ NMR (376 MHz, DMSO-*d*6)




2-Cyclopropyl-5-(2-(4,4-difluorocyclohexyl)ethyl)thiazole (4{2,8}) ^1H NMR (600 MHz, DMSO-*d*₆)




2-Cyclopropyl-5-(2-(4,4-difluorocyclohexyl)ethyl)thiazole (4{2,8}) $^{13}\text{C}\{^1\text{H}\}$ NMR (151 MHz, DMSO-*d*₆)





2-Cyclopropyl-5-(2-(4,4-difluorocyclohexyl)ethyl)thiazole (4{2,8}) $^{19}\text{F}\{^1\text{H}\}$ NMR (376 MHz, $\text{DMSO}-d_6$)




3-((3,3-Difluorocyclobutyl)methyl)quinoline (4{4,1}) ^1H NMR (600 MHz, DMSO-*d*₆)




3-((3,3-Difluorocyclobutyl)methyl)quinoline (4{4,I}) $^{13}\text{C}\{^1\text{H}\}$ NMR (151 MHz, DMSO-*d*₆)




3-(3,3-Difluorocyclobutyl)methylquinoline (*4{4,I}*) $^{19}\text{F}\{\text{H}\}$ NMR (376 MHz, DMSO-*d*₆)




3-(2-(4,4-Difluorocyclohexyl)ethyl)quinoline (4{4,8}) ¹H NMR (600 MHz, DMSO-*d*₆)




3-(2-(4,4-Difluorocyclohexyl)ethyl)quinoline (4{4,8}) $^{13}\text{C}\{{}^1\text{H}\}$ NMR (151 MHz, DMSO-*d*₆)




3-(2-(4,4-Difluorocyclohexyl)ethyl)quinoline (4{4,8}) $^{19}\text{F}\{^1\text{H}\}$ NMR (376 MHz, $\text{DMSO}-d_6$)




5-((3,3-Difluorocyclobutyl)methyl)-1-methyl-1*H*-1,2,3-triazole (4{6,I}) ¹H NMR (600 MHz, DMSO-*d*₆)




5-((3,3-Difluorocyclobutyl)methyl)-1-methyl-1*H*-1,2,3-triazole (4{6,I}) $^{13}\text{C}\{^1\text{H}\}$ NMR (151 MHz, DMSO-*d*6)




5-((3,3-Difluorocyclobutyl)methyl)-1-methyl-1*H*-1,2,3-triazole (4{6,I}) $^{19}\text{F}\{^1\text{H}\}$ NMR (376 MHz, DMSO-*d*₆)



5-(2-(4,4-Difluorocyclohexyl)ethyl)-1-methyl-1*H*-1,2,3-triazole (4{6,8}) ¹H NMR (600 MHz, DMSO-d₆)



5-(2-(4,4-Difluorocyclohexyl)ethyl)-1-methyl-1*H*-1,2,3-triazole (4{6,8}) ¹³C{¹H} NMR (151 MHz, DMSO-*d*₆)



5-(2-(4,4-Difluorocyclohexyl)ethyl)-1-methyl-1*H*-1,2,3-triazole (4{6,8}) $^{19}\text{F}\{\text{H}\}$ NMR (376 MHz, $\text{DMSO}-d_6$)